


I/O streams






I/O Streams

- **A *stream* is a sequence of bytes that flow from a source to a destination**
- **In a program, we read information from an input stream and write information to an output stream**
- **A program can manage multiple streams simultaneously**

I/O Streams

- The `java.io` package contains many classes that allow us to define various streams with particular characteristics
- Some classes assume that the data consists of characters
- Others assume that the data consists of raw bytes of binary information
- Streams can be further subdivided as follows:
 - *data stream*, which acts as either a source or destination
 - *processing stream*, which alters or manipulates the basic data in the stream

I/O Streams



Character vs. Byte Streams

- **A *character stream* manages 16-bit Unicode characters**
- **A *byte stream* manages 8-bit bytes of raw binary data**
 - **A program must determine how to interpret and use the bytes in a byte stream**
 - **Typically they are used to read and write sounds and images**
- **The `InputStream` and `OutputStream` classes (and their descendants) represent byte streams**
- **The `Reader` and `Writer` classes (and their descendants) represent character streams**



Data vs. Processing Streams

- **A *data stream* represents a particular source or destination such as a string in memory or a file on disk**
- **A *processing stream* (also called a *filtering stream*) manipulates the data in the stream**
 - **It may convert the data from one format to another**
 - **It may buffer the stream**

The IOException Class

- **Operations performed by the I/O classes may throw an IOException**
 - **A file intended for reading or writing might not exist**
 - **Even if the file exists, a program may not be able to find it**
 - **The file might not contain the kind of data we expect**
- **An IOException is a checked exception**

Standard I/O

- **There are three standard I/O streams:**
 - *standard input* – defined by `System.in`
 - *standard output* – defined by `System.out`
 - *standard error* – defined by `System.err`
- `System.in` typically represents keyboard input
- `System.out` and `System.err` typically represent a particular window on the monitor screen
- We use `System.out` when we execute `println` statements



Standard I/O

- `PrintStream` objects automatically have `print` and `println` methods defined for them
- The `PrintWriter` class is needed for advanced internationalization and error checking